BROUSE RYTEB. BILL PRT CONMAND ===>		· ************************************		O COL BOI BOO OLL WEED PAGE
**************	seessaaa TOP D	F DATA 44	*******	*******
ACCOUNT NUMBER: 0906-03-2	1114	-		63-30-94
BENERAL GERVICE, TIME OF				
CUSTUMER CHARGE	£, 0000 3	NTH X S	18.91 > 1	19.91
DEMAND KU STEPL	572.4	a Y	14.54000 =	8,322.76
				•
peak knih step 1	197.421	REAL X	0.05873 =	6,4 0 2. 80
OFF-PEAK KUN STEP 1	185,432	Killer X	0.02544 ×	4,722.40
RETER 7 HETER BENTAL	1.00000	NTM X	80.95 =	89.65
FUEL FACTOR	294,453	KIM X	9.89299- =	612.99-
MET BILL			•	18,934.06
PUR BYATE TAX	294,453	KAN X 6	0.6032 =	942.89
	18,934.06	X	9.1000X =	18.93
HEMICIPAL TAX	1 17,895.88	X	3.3450K =	1,967.41
TOTAL BILL DUE			•	20,963.29

منر

AMERICANA TOWERS 06/14/93 to 07/14/93

This is the corrected bill, corrected for being billed for "PEAK" KWHrs without having Time Of Day meters; but the Demands were not corrected.

This corrected bill, still shows the incorrect Demand = 572.4 KW which was the exact incorrect Demand billed for both months

of: 05/13/93 to 06/14/93 - 32 days and: 06/14/93 to 07/14/93 - 30 days

185,632 KWHrs

----- = 63.0 % "Off-Peak"

FROM: 06/14/93 TO: 07/14/93 IS 30 DAYS

294,653 KWHrs

公元教を書する ころもか

= 93.0 % "Off-PEAK"

186,803 KWHrs

Account should have been billed for under 500 Kws. The Demand was billed at least 121.8 KW too high. This is the corrected bill, but the Demands were not corrected.

> £6/71/80 of £6/41/70 **VERICANA TOWERS**

antatannantatetetetetetetetetetet tik WWTICE thatetetetetetetetetetetetetetetet FROM: 67/14/75 TO: 64/12/10 IS 29 DAYS OR 1.00000 NORTHS

37,929,41 TOTAL BILL BUE 41,411,1 = X059E'S X 30 804 42 MANICIPAL TAX 18,41 - X0001'0 X 15,885.74 XAT STATE YNGTA MOSA 78,8>9 \$£60'8 287'253 KM X ¢ XAT STATE TAX 14'832'14 THE LIKE 28'36 41000'6 389'233 ELEICIENCA SEDREVNE 212'82--14100.0 256,523 FUEL FACTOR 26.89 MITSER 7 NETER RENTAL

12'E\$L'D tisza i X HAZ Eek'981 1 4312 HUX XA39-140 98'8+'9. 967,491 [43T8 MM MAT

1,999.76 14'24649 X MN 9'419 Mais in dimen 19.81 S X HIM 00000'I COSTONER CHANGE

14'11 SENEMAL SERVICE, THE OF DAY 14-0E-E0

VCCDONL MOKSEN 0409-63-31114 agusan erakhanyankakanyankankonkon pthg 70 qQT akkanakakhbisaaksakaaksakabbiskky

3844 (===) JOU29 COMMUNI --->

となけられるこ

SROUSE RVISB. HILLPRI COMMAND www)	T	*********	,,,,,,,	• • -		LINE 0	000		OL 801 988
**********	****	HARRY TOP O	F DA	TA	****	*****	44	*****	****
ACCELINT MUNDER: 0906-03-	2111	4							63-39-94
GENERAL SERVICE, TIME OF	BAY	?							
CUSTOMER CHARGE		1.60000	HTH	X	\$	18.91		\$	18.91
DEMAND KU STEP1		617.B	14	X		14.54660			8,982.81
Peak kim step 1		86,921	KUM	X		9.95873			3,079.00
OFF-PEAK KIN STEP 1		147,040		X		8.02544	E		3.741.05
RIDER 7 METER RENTAL		1.00000	MTN	X		80.05	¥		80.45
FUEL FACTOR		234,661	KUH	X		0.00091-	•		213.54-
HET RICL								\$	17.729.29
PUR STATE TAX		234,661	KIN	X	\$	0.0032		-	750.92
REGULATORY STATE TAX	\$	17,728.28		X		9.1000X	•		17.73
HUNICIPAL TAX	•	18,496.93		X		5.3450x	•		972.36

total bill bie								•	19,489.29

FROM: 00/12/93 TO: 09/13/93 IS 32 DAYS OR 1.00000 HONTHS

ß

AMERICANA TOWERS 08/12/93 to 09/13/93

This is the corrected bill, but the Demands were not corrected. The Demand was billed at least 98.1 + 94.5 = 192.6 KW too high. Account should have been billed under 500 KWs.

147,840 KWHrs = 63.0 % "Off-PEAK" 234,661 KWHrs

BROUSE -- RYTSB. BILLIRT ------ LINE 0000000 COL 001 OPE CONNAMB **=) SCRULL week) PAGE ACCOUNT NUMBER: 0986-03-21114 #3-3#-94 GENERAL SERVICE, TIME OF DAY CUSTOMER CHARGE 1.00000 HTH X 6 18.91 = \$ 18,91 DENAMO UL STEPL 184.9 KN X 14.54060 2,475.34 PEAK WAN STEP 3 40.330 0.05873 2,368.38 OFF-PEAK KIN STEP 1 68,599 1,744,93 KINH X 9.02544 = 1.00000 WTH X RIDER 7 METER RENTAL 89.65 80.05 FUEL FACTOR 166,720 XNH X 0.00164 = 178,63 雅7 职儿 7,966.44 PUR STATE TAX 109,926 KUH X \$ 0.6033 € 349.54 REGULATORY STATE TAX 7,064.46 X 9.1890X # 7.47 MINICIPAL TAX 5.34501 -7,422.47 398, 19 TOTAL BILL BUE 7,820.26 FROM: 09/13/93 TO: 10/12/93 TB 29 DAYS DE 1.00000 HONTHS

apparentations and apparent to the second se

اکر ا

AMERICANA TOWERS 09/13/93 to 10/12/93

This is the corrected bill.

68,590 KWHrs

----= 62.97 % "Off-PEAK"

108,920 KWHrs